



Hygitest Sorbent Tubes Selection Table

Product Specification

Bulgaria; Sofia; "Ivan.Ev.Geshov"15

Tel/fax; +35929541119

info@hygitest.com



Hygitest 2016 Sorbent tubes offer							
Model #	Description	Size (mm) OD x Length	Sec-tions	Bed Wt. (mg)	Ends	Separators	Quantity / Box
ST 01-01	Coconut Charcoal	6x70	2	50/100	GS	FFW	50
ST 01-01A	Coconut Charcoal	6x70	2	50/100	GS	FFW	10
ST 01-01M	Coconut Charcoal	6x70	2	50/100	GS	FFW	1000
ST 01-01W	Coconut Charcoal	6x70	2	50/100	GS	WWW	50
ST 01-01GO	Coconut Charcoal	6x70	2	50/100	GO	FFW	50
ST 01-02	Coconut Charcoal	8x110	2	200/400	GS	FWW	50
ST 01-02M	Coconut Charcoal	8x110	2	200/400	GS	FWW	1000
ST 01-02GO	Coconut Charcoal	8x110	2	200/400	GO	FWW	50
ST 01-03	Coconut Charcoal	10x110	2	200/800	GS	FWW	50

ST 01-03GO	Coconut Charcoal	10x110	2	200/800	GO	FWW	50
ST 01-04-05 (2 tubes)	Coconut Charcoal	8x110 8x110	1 1	200 400	GS	WW WW	50 sets
ST 01-06	Coconut Charcoal	8x150	3	350/350/3 50	GS	WWWW	50
ST 01-07	Coconut Charcoal	10x160	2	200/1800	GS	FFW	50
ST 01-08-09 (2 tubes)	Coconut Charcoal	8x110 8x110	1 1	200 400	GS GS	FW FW	50 sets
ST 03-01	Chromosorb[®] -102	6x70	2	33/66	GS	WWW	50
ST 03-03-03 (2 tubes)	Chromosorb-102 Chromosorb-102	6x70 6x70	1 1	50/100 50/100	GS	WW WW	50 sets
ST 03-04	Chromosorb-102	8x110	2	100/200	GS	WWW	20
ST 03-05	Chromosorb-102	8x110	2	50/100	GS	WWW	50
ST 04-01	Chromosorb -104	6x70	2	37/75	GS	WWW	50
ST 05-01	Chromosorb -106	6x70	2	37/75	GS	WWW	50
ST 05-02	Chromosorb-106	7,2 x 70	2	50/100	GS	WWW	50
ST 05-03	Chromosorb-106	10x150	2	300/600	GS	WWW	10
ST 06-01	Chromosorb -108	6x70	2	37/75	GS	WWW	50
ST 06-02	Chromosorb-108 = Anasorb 708	10x110	2	200/400	GS	WWW	50
ST 07-01	Florisil	6x70	2	50/100	GS	WWW	50
ST 07-02	Florisil	8x110	2	200/400	GS	WWW	50
ST 09-01	Microlite	6x70	1	200	GS	WW	50
ST 09-02	Microlite	8x110	1	500	GS	WW	50

ST 10-01	Molecular Sieve (Triethanolamine)	7,2 x 110	2	200/400	GS	WWW	50
ST 10-02-03	Molecular Sieve (Triethanolamine) (2 tubes) Oxidizer	7x70 (2 tubes) 7,2x110	1 (2 tubes) 1	400 (2 tubes) 800	GS	WW WW WW	10 sets
ST 11-02	Anasorb 747 +(hydrobromic acid)	6x70	2	100/50	GS	WWW	20
ST 12-01	Porapak® -N	6x70	2	44/88	GS	WWW	50
ST 39-01	Porapak - P	6x110	2	50/100	GS	FFW	50
ST 13-01	Porapak -Q	6x70	2	39/78	GS	WWW	50
ST 13-02	Porapak -Q	6x110	2	75/150	GS	WWW	50
ST 14-01	Porapak -R	6x70	2	35/70	GS	WWW	50
ST 15-02-03 (2 tubes)	Porapak -T	6x40 6x40	1 1	25 75	GO GO	WW WW	10 sets
ST 18-01	Silica Gel	6x70	2	75/150	GS	FWW	50
ST 18-01-01 (2 tubes)	Silica Gel/ Charcoal (Sodium hydroxide)	10x210	3	250/1250/ 750	GS	multiple separators	50
ST 18-02	Silica Gel	8x110	2	260/520	GS	FWW	50
ST 18-02W	Silica Gel	8x110	2	260/520	GS	WWW	50
ST 18-03	Silica Gel	8 x 110	2	150/300	GS	WWW	50
ST 18-04	Silica Gel	10x110	2	260/1040	GS	FWW	50
ST 18-11	Silica Gel (Specially cleaned)	6 x 70	2	75/150	GS	WWW	50
ST 18-12	Silica Gel (Specially cleaned)	8 x 110	2	260/520	GS	WWW	50
ST 18-13	Silica Gel (Specially cleaned)	7,2 x 110	2	200/400	GS	WWGW	50

ST 18-14	Silica Gel (Specially cleaned)	10 x 110	2	200/800	GS	FWW	50
ST 18-21	Silica Gel (2, 4-Dinitrophenyl hydrazine)	6x110	2	150/300	GS	WWW	20
ST 18-21A	Silica Gel (2,4-Dinitrophenyl hydrazine)	6x110	2	150/300	GS	WWW	100
ST 18-22	Silica Gel (2,4-Dinitrophenyl hydrazine)	6x110	2	200/400	GS	WWW	20
ST 18-23	Silica Gel (2,4-Dinitrophenyl hydrazine)	6x150	2	200/800	GS	WWW	20
ST 18-31	Silica Gel (Sulfuric acid)	6 x 70	2	100/200	GS	WWW	50
ST 18-32	Silica Gel (Sulfuric acid)	6 x 110	2	100/200	GS	WWW	50
ST 18-33	Silica gel (Sulfuric acid)	8x110	2	200/200	GS	WWW	50
ST 18-34	Silica Gel (Sulfuric acid)	6x70	2	75/150	GS	WWW	50
ST 18-35	Silica Gel	6x70	2	50/100	GS	FWW	50
ST 20-01	Tenax [®]	6x70	2	20/40	GS	FFW	50
ST 20-02	Tenax [®]	6x70	2	10/20	GS	WWW	50
ST 20-03-04 (2 tubes)	Tenax [®]	6x130 6x130	1 1	17 35	GS	WW WW	50 sets
ST 20-05	Tenax [®]	8x110	2	50/100	GS	WWW	50
ST 20-05A	Tenax [®]	8x110	2	50/100	GS	WWW	10
ST 21-01	XAD -2	8x110	2	200/400	GS	WWW	50
ST 21-02	XAD -2	7x70	2	40/80	GS	WWW	50

ST 21-03	XAD -2	8x110	2	30/100	GS	WWW	50
ST 21-04	XAD -2	8x110	2	50/100	GS	WWW	50
ST 21-05	XAD -2	8x110	2	75/150	GS	WWW	50
ST 21-11	XAD -2 (2-Hydroxymethyl	6x110	2	75/150	GS	WWW	20
ST 21-12	XAD -2 (2-Hydroxymethyl	6x110	2	60/120	GS	WWW	20
ST 21-13	XAD-2 (2-Hydroxymethyl	8x110	2	225/450	GS	WWW	20
ST 21-14	XAD -2 (2-Hydroxymethyl	6x70	2	23/45	GS	WWW	20
ST 21-16	XAD-2 + (Naphthylisothiocyanate)	6x70	2	80/40	GS	WWW	50
ST 21-31	XAD-2 (Octanoic acid)	6x70	2	50/100	GS	WWW	50
ST 23-01	XAD -7	6x70	2	30/60	GS	WWW	50
ST 23-02	XAD -7	6x110	2	50/100	GS	WWW	50
ST 24-01	Anasorb 747	6x70	2	70/140	GS	FWW	20
ST 25-01	Soda lime	7x110	2	200/600	GS	WWWG	50
ST 38-01	Oxydizer (conversion tube of ST 10-02-03)	7,2x110	1	800	GS	WW	10
ST 38-02	Oxydizer (filter tube)	7,2x110	1	800	GS	WW	10

D.Dimitrov
Hygitest LTD Sofia